




Proportional pressure reducing valves type DHRZO

direct operated, ISO 4401 size 06




(1) Omit for A execution; AEB available only in version NP; AES available only in version BC, BP, EH

2 ELECTRONIC DRIVERS

Valve model		A A							AEB	AES		
Drivers model	E-MI-A	E-MI-AC-01F E-BM-AC-01F E-			E-ME-AC-01F	E-MI-	AS-IR	E-BM-	AS-PS	E-BM-AES	E-RI-AEB	E-RI-AES
Туре		Analog				Digital						
Voltage supply (VDC)	12	24	12	24	24	12	24	12	24	24	24	
Valve coil option	/6	std	/6	std	std	/6	std	/6	std	std	std	
Format	plu to sol	g-in enoid		13700 ECAL	EUROCARD		g-in enoid	DIN-rail panel Integral to		to valve		
Data sheet	GC	10	GC)25	G035	GC)20	GC)30	GS050	GS115	

Note: for main and communication connector see sections 11, 12

Hydraulic symbol



3 GENERAL NOTES

DHRZO-A* proportional valves are CE marked according to the applicable Directives (e.g. Immunity/Emission EMC Directive and Low Voltage Directive).

Installation, wirings and start-up procedures must be performed according to the general prescriptions shown in table F003 and in the installation notes supplied with relevant components.



4 FIELDBUS - only for AES

Fieldbus allows the direct communication of the proportional valve with machine control unit for digital reference signal, diagnostics and settings of functional parameters. Analog reference signal remain available on the main connector for quick commissioning and maintenance. For detailed information about fieldbus features and specification see tech table **GS510**.

Assembly positio	n	Any position					
Subplate surface	finishing	Roughness index, Ra 0,4 flatness ratio 0,01/100 (ISO 1101)					
MTTFd valves ac	cording to EN ISO 13849	150 years, see technical table P007					
Ambient tempera	ture range	A:standard = $-20^{\circ}C \div +70^{\circ}C$,/BT option = $-40^{\circ}C \div +60^{\circ}C$ AEB, AES:standard = $-20^{\circ}C \div +60^{\circ}C$,/BT option = $-40^{\circ}C \div +60^{\circ}C$					
Storage temperat	ture range	A: standard = AEB, AES: standard =	= -20°C ÷ +80°C, = -20°C ÷ +70°C,	/BT option = $-40^{\circ}C \div$ /BT option = $-40^{\circ}C \div$			
Coil resistance R	at 20°C	Standard = $3 \div 3,3 \Omega$	Option $/6 = 2 \div$	2,2 Ω Option /1	$8 = 13 \div 13,4 \Omega$		
Max. solenoid cu	rrent	Standard = 2,4A (1,8 fc	or /32) Option /6 = 3A	(2,25A for /32) Optior	n /18 = 1A (0,8A for /32)		
Max. power		A = 30 Watt AE	B, AES = 50 Watt				
Insulation class			curing surface temperatu 2 must be taken into acc		the European standards		
Protection degree	e to DIN EN60529	IP66/67 with mating connectors					
Tropicalization (o	nly AEB, AES)	Tropical coating on electronics PCB					
Duty factor		Continuous rating (ED=100%)					
EMC, climate and	d mechanical load	See technical table G004					
Communication i	nterface (only AEB, AES)	USB Atos ASCII coding	CANopen EN50325-4 + DS408	PROFIBUS DP EN50170-2/IEC61158	EtherCAT IEC 61158		
Communication p (only AEB, AES)	physical layer	not insulated USB 2.0 + USB OTG	optical insulated CAN ISO11898	optical insulated RS485	Fast Ethernet, insulated 100 Base TX		
Max regulated pr	ressure (Q=1 l/min) [bar]	25					
Min. regulated pr	essure (Q=1 l/min) (1) [bar]	3					
Max. pressure at	port P [bar]	315					
Max. pressure at	port T [bar]	210					
Max. flow	[l/min]	24					
Response time 0- (depending on in	-100% step signal (2) stallation) [ms]	≤ 45					
Hysteresis	[% of the max pressure]	≤ 1,5					
Linearity	[% of the max pressure]	≤3					
Repeatability	[% of the max pressure]	≤2					

MAIN CHARACTERISTICS - based on mineral oil ISO VG 46 at 50 °C 5

Notes: above performance data refer to valves coupled with Atos electronic drivers, see section 2


(1) Min pressure value to be increased of T line pressure


(2) Average response time value; the pressure variation in consequence of a modification of the reference input signal to the valve is affected by the stiffness of the hydraulic circuit: greater is the stiffness of the circuit, faster is the dynamic response

6 SEALS AND HYDRAULIC FLUID - for other fluids not included in below table, consult our technical office

Seals, recommended fluid temperature	NBR seals (standard) = $-20^{\circ}C \div +60^{\circ}C$, with HFC hydraulic fluids = $-20^{\circ}C \div +50^{\circ}C$ FKM seals (/PE option) = $-20^{\circ}C \div +80^{\circ}C$ HNBR seals (/BT option) = $-40^{\circ}C \div +60^{\circ}C$, with HFC hydraulic fluids = $-40^{\circ}C \div +50^{\circ}C$				
Recommended viscosity	20÷100 mm²/s - max allowed range 15 ÷ 380 mm²/s				
Fluid contamination class	ISO 4406 class 20/18/15 NAS 1638 class 9, in line filters of 10 μ m (β 10 \geq 75 recommended)				
Hydraulic fluid	Suitable seals type	Classification	Ref. Standard		
Mineral oils	NBR, FKM, HNBR	HL, HLP, HLPD, HVLP, HVLPD	DIN 51524		
Flame resistant without water	FKM	HFDU, HFDR	100 10000		
Flame resistant with water	NBR, HNBR HFC ISO 12922				

7 DIAGRAMS based on mineral oil ISO VG 46 at 50°C





8 OPTIONS for -A

8.1 Coil voltage

Option /6 optional coil to be used with Atos drivers with power supply 12 Voc Option /18 optional coil to be used with electronic drivers not supplied by Atos

9 ELECTRONIC OPTIONS - for AEB and AES

Standard driver execution provides on the 7 pin main connector:

 24Vbc must be appropriately stabilized or rectified and filtered; a 2,5 A fuse time lag is required in series to each driver power supply. Apply at least a 10000 μF/40 V capacitance to single phase rectifiers or a 4700 μF/40 V capacitance to three phase rectifiers

Reference input signal - analog differential input with 0÷+10 Vbc nominal range (pin D,E), proportional to desired valve pressure regulation *Monitor output signal* - analog output signal proportional to the actual valve's coil current (1V monitor = 1A coil current)

Note: a minimum booting time of 500 ms has be considered from the driver energizing with the 24 Vpc power supply before the valve has been ready to operate. During this time the current to the valve coils is switched to zero.

9.1 Option /I

Power supply

It provides 4 \div 20 mA current reference signal, instead of the standard 0 \div +10 Vpc.

Input signal can be reconfigured via software selecting between voltage and current, within a maximum range of ±10 V or ±20 mA.

It is normally used in case of long distance between the machine control unit and the valve or where the reference signal can be affected by electrical noise; the valve functioning is disabled in case of reference signal cable breakage

9.2 Option /Q

To enable the driver, supply 24 Vbc on pin C referred to pin B: Enable input signal allows to enable/disable the current supply to the solenoid, without removing the electrical power supply to the driver; it is used to maintain active the communication and the other driver functions when the valve has to be disabled. This condition does not comply with European Norms EN13849-1 (ex EN954-1).

9.3 Option /Z

It provides, on the 12 pin main connector, the following additional features:

Enable Input Signal

To enable the driver, supply 24 V_{DC} on pin 3 referred to pin 2: Enable input signal allows to enable/disable the current supply to the solenoid, without removing the electrical power supply to the driver; it is used to maintain active the communication and the other driver functions when the valve has to be disabled. This condition does not comply with European Norms EN13849-1 (ex EN954-1).

Fault Output Signal

Fault output signal indicates fault conditions of the driver (solenoid short circuits/not connected, reference signal cable broken for 4÷20mA input, etc.). Fault presence corresponds to 0 Vpc, normal working corresponds to 24 Vpc (pin 11 referred to pin 2): Fault status is not affected by the Enable input signal

Power supply for driver's logics and communication

Separate power supply (pin 9,10) allow to cut solenoid power supply (pin 1,2) while maintaining active diagnostics, serial and fieldbus communication. A safety fuse is required in series to each driver power supply: 500 mA fast fuse

9.4 Possible combined options: /IQ, /IZ

10 ELECTRONIC CONNECTIONS

PIN	Standard	/Q	TECHNICAL SPECIFICATIONS	NOTES
A	A V+		Power supply 24 Vbc Rectified and filtered: VRMs = 20 ÷ 32 VMAX (ripple max 10 % VPP)	Input - power supply
В	3 VO		Power supply 0 Vbc	Gnd - power supply
С	AGND		Analog ground	Gnd - analog signal
	ENABLE		Enable (24 VDC) or disable (0 VDC) the driver, referred to V0	Input - on/off signal
D	D INPUT+		Pressure reference input signal: \pm 10 Vpc / \pm 20 mA maximum range Defaults are 0 \div 10 Vpc for standard and 4 \div 20 mA for /l option	Input - analog signal Software selectable
E	INPUT-		Negative reference input signal for P_INPUT+	Input - analog signal
F	F MONITOR referred to: AGND V0		Pressure monitor output signal: ±5 Vpc maximum range Default is 0 ÷ 5 Vpc (1V = 1A)	Output - analog signal Software selectable
G	G EARTH		Internally connected to driver housing	

10.1 Main connector signals - 7 pin - standard and /Q option - DHRZO-AEB and DHRZO-AES (A)

10.2 Main connector signals - 12 pin - /Z option - DHRZO-AEB and DHRZO-AES (A2)

PIN	/Z	TECHNICAL SPECIFICATIONS	NOTES			
1	V+	Power supply 24 Vbc Rectified and filtered: VRMs = 20 ÷ 32 VMAX (ripple max 10 % VPP)	Input - power supply			
2	V0	Power supply 0 Vbc	Gnd - power supply			
3	ENABLE	Enable (24 Vbc) or disable (0 Vbc) the driver, referred to V0	Input - on/off signal			
4	INPUT+	Pressure reference input signal: ±10 Vbc / ±20 mA maximum range Defaults are 0 ÷ 10 Vbc for standard and 4 ÷ 20 mA for /l option				
5	INPUT-	Negative reference input signal for P_INPUT+	Input - analog signal			
6	MONITOR	Pressure monitor output signal: ±5 Vbc maximum range Defaults is 0 ÷ 5 Vbc (1V = 1A)	Output - analog signal Software selectable			
7	NC	Do not connect				
8	NC	Do not connect				
9	VL+	Power supply 24 Vbc for driver's logic and communication	Input - power supply			
10	VL0	Power supply 0 Vbc for driver's logic and communication	Gnd - power supply			
11	FAULT	Fault (0 Vpc) or normal working (24 Vpc), referred to V0	Output - on/off signal			
PE	EARTH	Internally connected to driver housing				

10.3 Communication connectors - DHRZO-AEB B and DHRZO-AES B C

В	B USB connector - M12 - 5 pin always present					
PIN	SIGNAL	GNAL TECHNICAL SPECIFICATION (1)				
1	+5V_USB	Power supply				
2	ID	Identification				
3	GND_USB	Signal zero data line				
4	D-	Data line -				
5	D+	Data line +				

C2	© BP fieldbus execution, connector - M12 - 5 pin (2)					
PIN	SIGNAL TECHNICAL SPECIFICATION (1)					
1	+5V	Termination supply signal				
2	LINE-A	Bus line (high)				
3	DGND	Data line and termination signal zero				
4	LINE-B	Bus line (low)				
5	SHIELD					


©1)	CI) BC fieldbus execution, connector - M12 - 5 pin (2)					
PIN	SIGNAL TECHNICAL SPECIFICATION (1)					
1	CAN_SHLD	Shield				
2	NC	do not connect				
3	CAN_GND	Signal zero data line				
4	CAN_H	Bus line (high)				
5	CAN_L	Bus line (low)				

<u>C</u> 3	C3 C4 EH fieldbus execution, connector - M12 - 4 pin (2)						
PIN	SIGNAL	TECHNICAL SPECIFICATION (1)					
1	TX+	Transmitter					
2	RX+	Receiver					
3	TX-	Transmitter					
4	RX-	Receiver					
Housing	SHIELD						


Notes: (1) shield connection on connector's housing is recommended (2) only for AES execution

10.4 Solenoid connection - only for RZGO-A

PIN	SIGNAL	TECHNICAL SPECIFICATION	Connector code 666
1	COIL	Power supply	
2	COIL	Power supply	
3	GND	Ground	



11 CONNECTORS



12 MODEL CODES OF MAIN CONNECTORS AND COMMUNICATION CONNECTORS - to be ordered separately


VALVE VERSION	A (1) Power supply	AEB AES	AEB/Z AES/Z	BC - CANopen	BP - PROFIBUS DP	EH - EtherCAT	
CONNECTOR CODE	666	ZM-7P A1	ZM-12P (A2)	ZM-5PF C1	ZM-5PM/BP C2	ZM-4PM/E C3	
CONNECTOR CODE	000	ZH-7P (A3)	ZH-12P (A4)			ZM-4PM/E C4	
PROTECTION DEGREE	IP67			IP67			
DATA SHEET	K500	GS115, K500					
L							

(1) Connectors supplied with the valve

13 INSTALLATION DIMENSIONS FOR DHRZO [mm]

ISO 4401: 2005

Mounting surface: 4401-03-02-0-05 (see table P005) Fastening bolts: 4 socket head screws M5x50 class 12.9 Tightening torque = 8 Nm Seals: 4 OR 108; 1 OR 2025 Diameter of ports A, B, P, T: Ø 7,5 mm (max)



2 = Space to remove the 7 or 12 pin main connector. For main and communication connectors see section 11, 12